

BEST AVAILABLE COPY

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
6 February 2003 (06.02.2003)

PCT

(10) International Publication Number
WO 03/010728 A1

(51) International Patent Classification⁷: G08B 15/00,
G07C 11/00

(NL). GELBORD, Boaz, Simon [CA/NL]; Nieuwe
Prinsengracht 80, NL-1018 VV Amsterdam (NL).

(21) International Application Number: PCT/EP02/06735

(74) Agent: WUYTS, Koenraad, Maria; Koninklijke KPN
N.V., P.O. Box 95321, NL-2509 CH The Hague (NL).

(22) International Filing Date: 18 June 2002 (18.06.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
01202832.0 24 July 2001 (24.07.2001) EP
01204224.8 5 November 2001 (05.11.2001) EP

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG,
SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,
VN, YU, ZA, ZM, ZW.

(71) Applicant (*for all designated States except US*): KONIN-
KLIJKE KPN N.V. [NL/NL]; Stationsplein 7, NL-9726
AE Groningen (NL).


(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR,
GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent
(BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR,
NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): ROELOFSEN,
Gerrit [NL/NL]; Rijndijk 60-A, NL-2331 AH Leiden

[Continued on next page]

(54) Title: METHOD AND SYSTEM AND DATA SOURCE FOR PROCESSING OF IMAGE DATA



(57) Abstract: System for processing of a data string generated by a data source (4). Monitoring means (5) inspect the data string for the presence of substrings complying with certain characteristics, while, if found, the substrings are separated by separation means (5) and processed, by processing means (6,7) separately from the remaining data string. The substrings and remaining data string may be stored at different locations (8a,8b), while the substrings and remaining data string may be formatted, by formatting means (7) in different (encrypted/not-encrypted) formats. The substrings each may be replaced, by replacement means (6), by a replacement string, like an icon (2) or a box (3), which additionally may comprise an identifier referring to the relevant store location of locations of the substring.

WO 03/010728 A1



Declaration under Rule 4.17:

— of inventorship (Rule 4.17(iv)) for US only

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Method and system and data source for processing of image data

BACKGROUND OF THE INVENTION

The invention relates to a method and a system and a data source for
5 processing of a data string generated by that data source, especially
but not exclusive targeted to the processing of image data.

The field of the invention is video surveillance, image recognition
and privacy safeguarding.

The growing societal demand for privacy is on a collision course with
10 the increased need for digital surveillance arising from growing crime
and civil disputes. There is a need to avoid or soften this collision
by providing a video surveillance system where one can still see the
general nature of events taking place but where the identities of the
parties are hidden.

15 There are video surveillance systems where one only views the image in
retrospect if a crime was committed. The difficulty that can arise in
such systems is that one does not know whether something is amiss
because one cannot see the entire image. The alternative is a
full-fledged video surveillance system in which one does see the
20 entire image. However in such a situation the privacy of the filmed
individual may be unnecessarily compromised.

SUMMARY OF THE INVENTION

The invention aims to present an improvement of the prior-art methods
for processing data strings.

25 Firstly, it should be noted that this invention is not only applicable
for image related domains like camera surveillance, but could also be
used in other domains.

The method according to the invention comprises the following steps:

- a. the data is inspected for the presence of one or more substrings
30 complying with certain substring characteristics;
- b. if found, said one or more substrings are processed separately from
the remaining data string.

The basic idea behind the invention is to have a camera or other data
source, which records data (i.e. an image) which is then altered so
35 that the (personal) identifying characteristics in the image are
removed, replaced, encrypted or processed in another way. The

-2-

remaining image does not contain identifying characteristics of those filmed and thus does not compromise the privacy or security of those filmed.

5 Preferrably said (privacy sensitive) substrings and said remaining data string are processed in different ways, whether or not dependent on said substring characteristics.

For instance the substrings and said remaining data string are stored at mutually different locations, whether or not in mutually different formats. The substrings, for instance, may be encrypted and stored in encrypted form.

10 The substrings preferrably are replaced by a replacement string, which replacement string is processed further together with said remaining data string, while the replaced substring is processed or stored separately.

15 Preferrably the replacement string comprises a watermark string, whether or not comprising an identifier referring to the relevant store location or locations of the relevant replaced substring. Moreover, the replacement string may comprise a random bitstring, or elements derived from the relevant replacing substring, for instance

20 elements which together present an "substring-like" replacement string, disclosing the character of the substring (for instance a not-detailed face) without disclosing the specific (face) details. The replacement string preferrably comprises a time stamp referring to the originating time of the relevant substring.

25 EXEMPLARY EMBODIMENTS

Figure 1 represents an illustration of an image, recorded by for instance a surveillance camera, comprising people, represented by human faces 1 (with identification details 1a), which image is converted by the camera into a data string, to be processed according

30 the present inventive method.

Figure 2 represents the recorded image after the image data string originated by the camera is inspected, by means of state-of-the-art image recognition techniques, for the presence of one or more substrings complying with certain substring characteristics, in this

35 case the presence of human faces 1, while those substrings, in this case corresponding to those human faces, if found, are processed

-3-

separately from the remaining data string. In this case each substring is replaced by a replacement string, represented by a (standard) face icons 2. The substrings and said remaining data string are processed in different ways as can be seen in figure 3, schematically showing a device in which the method according to the invention can be executed. In figure 1 also shows a car 3. The image recognition means may also be set thus that, except the characteristics of human faces 1, also the characteristics of car license plates 3a are detected and processed separately from the rest of the image. The substring representing a license plate may also be replaced by an icon or -as shown in figure 2- by an empty (white) box 3b, while the substring representing the license plate itself is processed in another way as the remaining image string.

Figure 3 shows a camera 4, already mentioned, recording "real world" images and converting them into a data string. Connected to the camera 4 is an image recognition (IR) processor 5 which is enabled to detect, in the datastring, substrings which comply with certain substring characteristics, viz. the characteristics of a human face 1 and the characteristics of a license plate 3a. A connected separator/substitution processor 6 separates the detected substrings from the remaining datastring, while inserting, in place of the deleted substrings, a replacement string in the form of an icon 2 where the detected substring has the characteristics of a human face 1, or, where the characteristics of a license plate are detected, inserting of a replacement string representing a "white box" 3b. A storage processor 7 controls the storage format and location into a database 8 (or into various databases, not shown). As depicted in figure 3, the original datastring with its replacement strings (in the form of the icons 2 and the white box 3b) is stored in a normal, not extra secured format in a store location 8a. The privacy sensitive substrings, representing the characterizing details 1a of human faces 1 and license plates 3a respectively, are encrypted or processed in another way, to prevent unauthorized access and use. A (preferred) example of a process fit for that goal is the subject of an earlier patent application of applicant. After being processed in a special way (encrypted, reformatted, etc.) the privacy sensitive substrings are

-4-

stored in database locations 8b.

As indicated above, the substrings may be processed dependent on said substring characteristics, for instance the human face related substrings are replaced with a "smiley" icon 2, while the license plate substring is replaced by a "white box". Preferably, the (processed) substrings and the remaining data string are stored at mutually different locations, viz. locations 8a and 8b respectively; moreover, the substrings and the remaining data string are stored in mutually different formats, viz. in a not-secured format and in a secured format respectively.

The replacement strings are processed together with the remaining data string.

The replacement string preferably comprises a watermark string, comprising an identifier referring to the relevant store locations 8b of the relevant replaced and separately processed substrings.

The replacement string may comprise, as shown, a "standard" pattern, like an icon 2, a white box 3 or for instance a random bitstring. Like the "smiley" icons in fact does, the replacement string comprises elements derived from the relevant replacing substring, viz. the detailed human face 1 portion is substituted by a "standard human face-like" icon. In the same way, the license plate could be substituted, by processor 6, by a car-related icon.

Finally, each replacement string may comprise a time stamp referring to the originating time of the relevant substring or image, recorded by video camera 4.

-5-

CLAIMS

1. Method for processing of a data string generated by a data source, CHARACTERIZED BY the following steps:
 - a. the data string is inspected for the presence of one or more
 - 5 substrings complying with certain substring characteristics;
 - b. if found, said one or more substrings are processed separately from the remaining data string.
2. Method according to claim 1, CHARACTERIZED IN that said data string is an image data string, generated by an image data source.
- 10 3. Method according to claim 1, CHARACTERIZED IN that said one or more substrings and said remaining data string are processed in different ways.
4. Method according to claim 3, CHARACTERIZED IN that said one or more substrings are processed dependent on said substring characteristics.
- 15 5. Method according to claim 1, CHARACTERIZED IN that said one or more substrings and said remaining data string are stored at mutually different locations.
6. Method according to claim 1, CHARACTERIZED IN that said one or more substrings and said remaining data string are stored in mutually
- 20 different formats.
7. Method according to claim 1, CHARACTERIZED IN that said one or more substrings are encrypted and stored in encrypted form.
8. Method according to claim 1, CHARACTERIZED IN that said one of more substrings each are replaced by a replacement string, which
- 25 replacement string is processed further together with said remaining data string.
9. Method according to claim 8, CHARACTERIZED IN that said replacement string comprises a watermark string.
10. Method according to claims 5 and 9, CHARACTERIZED IN that said
- 30 watermark string comprise an identifier referring to the relevant store location or locations of the relevant replaced and separately processed substring.
11. Method according to claim 8, CHARACTERIZED IN that said replacement string comprises a random bitstring.
- 35 12. Method according to claim 8, CHARACTERIZED IN that said replacement string comprises elements derived from the relevant replacing

-6-

substring.

13. Method according to claim 8, CHARACTERIZED IN that said replacement string comprises a time stamp referring to the originating time of the relevant substring.

5

14. System for processing of a data string generated by a data source (4), CHARACTERIZED BY monitoring means (5) for monitoring the data string for the presence of one or more substrings complying with certain substring characteristics, while, if found, said one or more

10 substrings are separated by separation means (5) and processed, by processing means (6,7) separately from the remaining data string.

15. System according to claim 14, CHARACTERIZED IN that said data source is an image data source (4).

16. System according to claim 14, CHARACTERIZED IN that said one or more
15 substrings and said remaining data string are stored at mutually different locations (8a,8b) of storage means (8).

17. System according to claim 14, CHARACTERIZED IN that said one or more substrings and said remaining data string are formatted, by formatting means (7) in mutually different formats.

20 18. System according to claim 17, CHARACTERIZED IN that said one or more substrings are encrypted, by said formatting means (7) and stored, by said storage means (8) in encrypted form.

19. System according to claim 14, CHARACTERIZED IN that said one of more substrings each are replaced, by replacement means (6), by a
25 replacement string.

20. System according to claim 19, CHARACTERIZED IN that said replacement means (6) generate a replacement string comprising a random bitstring.

21. System according to claim 19, CHARACTERIZED IN that said replacement means (6) generate a replacement string comprising elements derived
30 from the characteristics of relevant replacing substring.

22. System according to claim 19, CHARACTERIZED IN that said replacement means (6) adds to each replacement string an identifier referring to the relevant store location or locations of the substring.

23. System according to claim 19, CHARACTERIZED IN that said replacement
35 means (6) adds to each replacement string a time stamp referring to the originating time of the relevant data string or substring.

-7-

24. Data source generating a data string wherein the data source comprises:

- 5 - inspection means to inspect the data string for the presence of one or more substrings complying with certain substring characteristics and
- division means for processing said one or more substrings, if found, separately from a remaining data string.

10 25. Data source according to claim 24 wherein said source is a digital camera.

26. Data source according to claim 24 wherein said source is an analog camera the output of which is digitalized by an analog-digital conversion module for obtaining said data string.

15 27. Data source according to any of the claims 24-26 wherein replacement means are provided to replace said one or more substrings by at least one replacement data string to be processed further with said remaining data string.

20 28. Data source according to any of the claims 24-27 wherein network communication means are provided for transmission of said one or more substring, said replacement data string and/or said remaining data string over a data communication network for storing said one or more substring separately from said replacement data string and/or said remaining data string at mutually different locations.

25 29. Data source according to any of the claims 24-28 wherein at least one of said separate storage locations is located at or near the data source.

30 30. Data source according to any of the claims 24-29 wherein watermarking means are provided for inserting a watermark string according to claims 9-13.

30 31. Data communication network including:

- 35 - at least one data source generating a data string which data string is inspected for the presence of one or more substrings complying with certain substring characteristics and, if found, being processed separately from the remaining data string and transmitting means for transmitting said one or more substrings.

-8-

and/or remaining data string over the data communication network communicatively connected via said data communication network to

- at least one storage location to store at least one of said one or more substrings.

5

32. Datacommunication network according to claim 31 wherein said one or more substrings have been replaced by replacement strings to be processed further with said remaining data string.

- 10 33. A computer program for running on a computer system at least including software code portions performing the inspection of a datastring generated by a data source for the presence of one or more substrings complying with certain substring characteristics which substrings, if found, are processed by the program separately from the remaining data string.

- 15 34. Computer program according to claim 33 performing the replacement of said one or more substrings by replacement strings to be processed further with said remaining data string.

35. Computer program according to claim 33 performing the insertion of a watermark string into said replacement string referring to the storage location of the relevant one or more
20 substrings.

36. A data carrier, stored with data loadable in a computer memory said data representing a computer program for running on a computer system at least including software code portions for performing the inspection of a datastring generated by a data source for the presence of one
25 or more substrings complying with certain substring characteristics which substrings, if found, are processed by the program separately from the remaining data string.

1/3




FIG. 1

2/3





FIG. 2

3/3

**FIG. 3**

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 02/06735

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G08B15/00 G07C11/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 G08B G07C G06F G06T G06K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched ____

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, INSPEC

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 1 107 166 A (MATSUSHITA ELECTRIC IND CO LTD) 13 June 2001 (2001-06-13) column 11, line 34 - line 46 ----	1-3,8, 14,15, 19, 23-28, 30-33,35
X	LIN J-H: "MIXED-MODE ALPHANUMERIC/FAX MESSAGING" MOTOROLA TECHNICAL DEVELOPMENTS, MOTOROLA INC. SCHAUMBURG, ILLINOIS, US, vol. 22, 1 June 1994 (1994-06-01), pages 121-123, XP000456749 the whole document -----	1,14,23, 30,32,35

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "I" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "Δ" document member of the same patent family

Date of the actual completion of the international search

13 August 2002

Date of mailing of the international search report

28/08/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Sonius, M

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 02/06735

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 1107166 A	13-06-2001	EP 1107166 A2	13-06-2001
		JP 2001222719 A	17-08-2001
		US 2001002932 A1	07-06-2001
<hr/>			

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.